

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

# **GENERAL PURPOSE GRAFFITI REMOVER**

Page 1/4

Revision 6 Revision date 2016-03-14

| SECTION 1: Identification of the substance/mixture and of the company/undertaking |   |  |
|---|---|--|
| 1.1. Product identifier   |   |  |
| Product name  | GENERAL PURPOSE GRAFFITI REMOVER                              |  |
| 1.3. Details of the supplier of the safety data sheet                             |   |  |
| Company   | Smart Graffiti Ireland & UK                                   |  |
| Address   | Apple View,Trim Road, Kildalkey, Co. Meath, C15 W702, Ireland |  |
| Web   | www.smartgraffiti.co.uk or www.smartgraffiti.eu               |  |
| Telephone   | +353 (0)86 8111187 / +44 (0)7733 132883                       |  |
| Fax   | N/A   |  |
| Email   | keith@smartgraffiti.com                                       |  |
| SECTION 2: Hazards identification   |   |  |
| 2.1. Classification of the substance or mixture                                   |   |  |
| 2.1.1. Classification -   | Xn; R65 Xi; R38 R52/53  |  |
| 1999/45/EC  | Symbols: Xn: Harmful.   |  |

| 1999/40/EC   | Symbols: Xn: Harmful.  |
|--------------|--|
| Main hazards | Irritating to skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic |
|              | environment. Harmful: may cause lung damage if swallowed.  |

### **SECTION 3: Composition/information on ingredients**

3.2. Mixtures

| Chemical Name                                     | Index No.    | CAS No.    | EC No.    | REACH<br>Registration<br>Number | Conc. (%w/w) | Classification                         |
|---|--------------|------------|-----------|---------------------------------|--------------|--|
| Terpine Hydrocarbons                              |              | 8028-48-6  | 232-433-8 |                                 | 70 - 80%     |  |
| Light Aromatic Solvent                            |              | 64742-95-6 | 265-199-0 |                                 | 10 - 20%     | Xn; R65 Xi; R37 N; R51/53<br>R10-66-67 |
| Ethylene glycol monobutyl ether (2-Butoxyethanol) | 603-014-00-0 | 111-76-2   | 203-905-0 |                                 | 1 - 10%      | Xn; R20/21/22 Xi; R36/38               |
| 95% active blend of                               |              |            |           |                                 | 1 - 10%      |  |
| anionic/nonionic surfactants                      |              |            |           |                                 |              |  |
| Fabric: A woven polyester/ra                      | yon fabric.  |            |           |                                 |              |  |

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

| Inhalation   | Remove from exposure, rest and keep warm. In severe cases, or if recovery is not rapid or complete seek medical attention. If breathing stops, provide artificial respiration. |
|--------------|--|
| Eye contact  | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Obtain medical attention.  |
| Skin contact | Irritating to skin. Wash with water. Seek medical attention if irritation or symptoms persist.   |
| Ingestion    | If swallowed, seek medical advice immediately and show this container or label. Never give anything by mouth to an unconscious person. Harmful if fabric is sucked.            |



SMART

# **GENERAL PURPOSE GRAFFITI REMOVER**

Revision 6

Revision date 2016-03-14

### SECTION 5: Firefighting measures 5.1. Extinguishing media Water fog, foam, dry chemical, or carbon dioxide. 5.2. Special hazards arising from the substance or mixture Oxides of carbon. 5.3. Advice for firefighters Self-contained breathing apparatus SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Refer to other sections of this material safety data sheet for information regarding physical and health hazards, respiratory protection, ventilation and personal protective equipment. 6.2. Environmental precautions Do not allow product to enter drains. Do not flush into surface water. Advise local authorities if large spills cannot be contained SECTION 7: Handling and storage 7.1. Precautions for safe handling Keep away from sources of ignition - No smoking. Avoid contact with eyes and skin. Wear suitable protective equipment. 7.2. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Keep containers tightly closed. Heat will increase pressure in sealed containers SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values Ethylene glycol monobutyl ether WEL 8-hr limit ppm: 25 WEL 8-hr limit mg/m3: -(2-Butoxyethanol) WEL 15 min limit ppm: 50 WEL 15 min limit mg/m3: -8.2. Exposure controls 8.2.1. Appropriate engineering Ensure adequate ventilation of the working area. controls 8.2.2. Individual protection Adopt best Manual Handling considerations when handling, carrying and dispensing. measures Eye / face protection Safety glasses. Skin protection -Nitrile rubber gloves. Handprotection **Respiratory protection** Wear suitable respiratory equipment when necessary 8.2.3. Environmental exposure Users should be aware of environmental considerations and their duties under the Environmental controls Protection Act SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties



## GENERAL PURPOSE GRAFFITI REMOVER

Revision 6 Revision date 2016-03-14

#### 9.1. Information on basic physical and chemical properties

| State                                | Liquid   |  |
|--------------------------------------|--|--|
| Colour                               | Colourless   |  |
| Odour                                | Characteristic   |  |
| Flash point                          | 62   |  |
| Solubility                           | Soluble in water   |  |
| SECTION 10: Stability and re         | activity   |  |
| 10.2. Chemical stability             |  |  |
|                                      | Stable under normal conditions.  |  |
| 10.4. Conditions to avoid            |  |  |
|                                      | Heat.  |  |
| 10.6. Hazardous decomposition        | products   |  |
|                                      | Carbon Monoxide and Carbon Dioxide. Hydrocarbons.  |  |
| SECTION 11: Toxicological i          | nformation   |  |
| 11.1. Information on toxicologica    | al effects   |  |
| Respiratory or skin<br>sensitisation | Skin or eye contact may cause severe irritation. Irritation to respiratory system, coughing, wheezing, shortness of breath.  |  |
| SECTION 12: Ecological info          | rmation  |  |
| 12.1. Toxicity                       |  |  |
|                                      | Toxic to aquatic organisms.  |  |
| SECTION 13: Disposal consi           | iderations   |  |
| General information                  |  |  |
|                                      | Contact a licensed waste disposal company. Do not empty into drains.   |  |
| SECTION 14: Transport infor          | rmation  |  |
| ADR/RID                              |  |  |
|                                      | The product is not classifed as dangerous for carriage.  |  |
| IMDG                                 |  |  |
|                                      | The product is not classifed as dangerous for carriage.  |  |
| IATA                                 |  |  |
|                                      | The product is not classifed as dangerous for carriage.  |  |
| SECTION 15: Regulatory info          | ormation   |  |
| Labelling                            |  |  |
| Symbols                              | Harmful  |  |
|                                      |  |  |
| Risk phrases                         | R38 - Irritating to skin.<br>R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic<br>environment.<br>R65 - Harmful: may cause lung damage if swallowed. |  |



## GENERAL PURPOSE GRAFFITI REMOVER

GRAFFITI Revision 6

Revision date 2016-03-14

| Labelling      |   |
|----------------|---|
| Safety phrases | <ul> <li>S1/2 - Keep locked up and out of the reach of children.</li> <li>S13 - Keep away from food, drink and animal feedingstuffs.</li> <li>S25 - Avoid contact with eyes.</li> <li>S37/39 - Wear suitable gloves and eye/face protection.</li> <li>S46 - If swallowed, seek medical advice immediately and show this container or label.</li> <li>S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.</li> </ul> |

### **SECTION 16: Other information**

#### Other information

| Text of risk phrases in Section | R10 - Flammable   |
|---------------------------------|---|
| 3                               | R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.   |
|                                 | R36/38 - Irritating to eyes and skin.   |
|                                 | R37 - Irritating to respiratory system.   |
|                                 | R38 - Irritating to skin.   |
|                                 | R41 - Risk of serious damage to eyes.   |
|                                 | R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  |
|                                 | R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  |
|                                 | R65 - Harmful: may cause lung damage if swallowed.  |
|                                 | R66 - Repeated exposure may cause skin dryness or cracking.   |
|                                 | R67 - Vapours may cause drowsiness and dizziness.   |
| Further information             |   |
|                                 | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This version replaces all previous versions. |

